

Pelvic Floor Questionnaire

Bladder Questions

Stress Incontinence: Do you leak of urine when you :

Stand up?	Y	N
Cough, sneeze or laugh?	Y	N
Lift objects	Y	N
Exercise	Y	N

Urge Incontinence: Do you leak of urine:

When you have a strong urge to urinate?	Y	N
On the way to the bathroom?	Y	N
While putting your key in the door?	Y	N
While trying to undress at the toilet?	Y	N
When you hear, see or feel water?	Y	N

Voiding Pattern

Difficulty initiating a urine stream?	Y	N
Difficulty stopping your stream?	Y	N
Pain or burning during urination?	Y	N
Blood in your urine?	Y	N
Do you need to strain to empty your bladder?	Y	N

Fluid Intake:

Water: # cups per day? _____

Bladder Irritants: (coffee, tea, cocoa) # of cups per day? _____

Number of carbonated drinks? _____

Number of acidic drinks/day? _____

Number of alcoholic drinks/week? _____

On average how often do you empty your bladder?

Every hour or less____ Between 1-2 hours ____

Between 2-3 hours ____ Between 3-4 hours ____ > 4 hours ____

I wake up to empty my bladder ____ times per night.

Average yearly urinary tract infections? _____

When did you first experience incontinence? _____

Previous Treatment for incontinence:

Have you done exercise to control urine loss? (ie Kegels) Y N

Has your doctor prescribed medication to treat urine loss Y N

Have you had any surgical procedures to treat urine loss? Y N

What type of protective devices do you use? (check all that apply)

Panty liner ____ sanitary pad: mini ____ maxi ____

Incontinence pad or brief ____ # of pads per day? ____

Bowel Habits:

Frequency of BM: ____day ____week

Straining Y N

Do you experience fecal incontinence? Y N

Do you often use laxatives? Y N

How often? _____

Do you use enemas? Y N

How often? _____

Do you include fiber? Y N

Types: _____

Pelvic & Back Pain:


Do you experience pain during sexual relations or intercourse? Y N

Do you experience pain in the lower abdomen or perineum? Y N

Do you experience back pain? Y N

Do you experience heaviness or pressure on your perineum? Y N

Mark with an "x" where you have pain:



NIH-Chronic Prostatitis Symptom Index (NIH-CPSI)

Pain or Discomfort

1. In the last week, have you experienced any pain or discomfort in the following areas?
- | | Yes | No |
|--|---------------------------------------|---------------------------------------|
| a. Area between rectum and testicles (perineum) | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| b. Testicles | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| c. Tip of the penis (not related to urination) | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| d. Below your waist, in your pubic or bladder area | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |

2. In the last week, have you experienced:

- | | Yes | No |
|--|---------------------------------------|---------------------------------------|
| a. Pain or burning during urination? | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |
| b. Pain or discomfort during or after sexual climax (ejaculation)? | <input type="checkbox"/> ₁ | <input type="checkbox"/> ₀ |

3. How often have you had pain or discomfort in any of these areas over the last week?

- ☐₀ Never
☐₁ Rarely
☐₂ Sometimes
☐₃ Often
☐₄ Usually
☐₅ Always

4. Which number best describes your AVERAGE pain or discomfort on the days that you had it, over the last week?

- | | | | | | | | | | | |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|--------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| <input type="checkbox"/> 0 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 | <input type="checkbox"/> 7 | <input type="checkbox"/> 8 | <input type="checkbox"/> 9 | <input type="checkbox"/> 10 |
| NO PAIN | | | | | PAIN AS BAD AS YOU CAN IMAGINE | | | | | |

Urination

5. How often have you had a sensation of not emptying your bladder completely after you finished urinating, over the last week?

- ☐₀ Not at all
☐₁ Less than 1 time in 5
☐₂ Less than half the time
☐₃ About half the time
☐₄ More than half the time
☐₅ Almost always

6. How often have you had to urinate again less than two hours after you finished urinating, over the last week?

- ☐₀ Not at all
☐₁ Less than 1 time in 5
☐₂ Less than half the time
☐₃ About half the time
☐₄ More than half the time
☐₅ Almost always

Impact of Symptoms

7. How much have your symptoms kept you from doing the kinds of things you would usually do, over the last week?

- ☐₀ None
☐₁ Only a little
☐₂ Some
☐₃ A lot

8. How much did you think about your symptoms, over the last week?

- ☐₀ None
☐₁ Only a little
☐₂ Some
☐₃ A lot

Quality of Life

9. If you were to spend the rest of your life with your symptoms just the way they have been during the last week, how would you feel about that?

- ☐₀ Delighted
☐₁ Pleased
☐₂ Mostly satisfied
☐₃ Mixed (about equally satisfied and dissatisfied)
☐₄ Mostly dissatisfied
☐₅ Unhappy
☐₆ Terrible

Scoring the NIH-Chronic Prostatitis Symptom Index Domains

Pain: Total of items 1a, 1b, 1c, 1d, 2a, 2b, 3, and 4 = _____

Urinary Symptoms: Total of items 5 and 6 = _____

Quality of Life Impact: Total of items 7, 8, and 9 = _____



PHYSICAL THERAPY
— YOUR WAY —
ADVANCED SPECIALTY CARE
Alexandria and Lorton, VA • 571-312-6966

PELVIC FLOOR CONSENT FOR EVALUATION AND TREATMENT

I acknowledge and understand that I have been referred for evaluation and treatment for a pelvic floor dysfunction. Pelvic floor symptoms include, but are not limited to, incontinence of bowel or bladder; difficulty with bowel, bladder, or sexual functions; painful scars after childbirth or surgery; persistent sacroiliac or low back pain; and pelvic pain conditions.

I understand that to evaluate my condition it may be necessary, initially and periodically, to have my therapist perform an internal pelvic floor muscle examination. This examination is performed by observing and/or palpating the perineal region including the vagina and/or rectum. This evaluation will assess skin conditions, reflexes, muscle tone, length, strength and endurance, scar mobility, and function of the pelvic floor region. Such evaluation may include vaginal or rectal sensors for muscle biofeedback.

Treatments may include, but are not limited to, the following: observation, palpation, use of vaginal weights, vaginal or rectal sensors for biofeedback and/or electrical stimulation, ultrasound, heat, cold, stretching and strengthening exercises, soft tissue and/or joint mobilization, and educational instruction.

I understand that in order for therapy to be effective, I must attend my scheduled appointments. If I have difficulty with any part of my treatment program, I will discuss it with my therapist.

1. The purpose, risks, and benefits of this evaluation have been explained to me.
2. I understand that I can terminate this procedure at any time.
3. I understand that I am responsible for immediately telling the therapist if I am having any discomfort or unusual symptoms during the evaluation.
4. ☐ I would like to have a chaperone present in the room during the treatment session.
☐ I do not wish to have a chaperone present in the room during the treatment session.

(Please select one)

Date: _____ Patient Name: _____

Patient Signature

Signature of Parent or Guardian (if applicable)

Witness Signature